

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOL

FRAGOLTHERM Q-20

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

SECTION 1: Identification of the substance or mixture and of the company/undertaking

1.1 Product identification

Trade name	FRAGOLTHERM Q-20
Identification of the substance	lubricating oils (petroleum), C20-50, hydrotreated from neutral oil
Registration number (REACH)	01-2119474889-13-xxxx
EC number	276-738-4
CAS Number	72623-87-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Heat transfer fluid Industrial use Professional use
Discouraged use	Not to be used for private purposes (household)

1.3 Details concerning the provider of the safety data sheet

FRAGOL AG
Solinger Straße
16, D-45481
Mülheim,
Germany

Phone: +49 (0)208-300 02-50
Fax: +49 (0)208-300 02-33
Email: htf@fragol.de
Website: www.fragol.de

E-mail (authorized person) htf@fragol.de

1.4 Emergency phone number

Emergency Information Service	+49 (0)208-300 02-50 This number is only available during the following business hours: Mon-Fri 09:00 to 17:00
-------------------------------	--

Poison control center		
Country	Name	Phone
The Netherlands	National Poisons Information Center (UMC Utrecht) Exclusively intended to inform professional responders in case of acute poisonings	+31 88 755 8000

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Rubric	Hazard class	Category	Hazard class and category	Hazard indication
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

See SECTION 16 for the full text of H-phrases (hazard statements)

Harmonised classification (the classification of the substance is in accordance with the note in the list according to 1272/2008/EC Annex VI)

Classification as carcinogenic is not required. The substance contains less than 3% DMSO extract

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOLTHERM Q-20

FRAGOL

Version number: 5.0
Replaces the version from: 20.06.2024

Revision: 26.01.2026

2.2 Labeling elements

Labelling in accordance with Regulation (EC) No 1272/2008 (CLP)

- signal word Danger

- Icons

GHS08



- Hazard statements

H304

Can be fatal if the substance enters the respiratory tract if swallowed.

- Precautionary statements

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331

DO NOT induce vomiting.

P405

Keep locked.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other dangers

Special risk of slipping due to leaking/spilling product.

Results of PBT and vPvB assessment

The results of the evaluation of the substance show that this substance is not a PBT or vPvB substance.

Endocrine disrupting properties

Does not contain endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition and information on ingredients

3.1 Fabrics

Name of the substance	lubricating oils (petroleum), C20-50, hydrotreated from neutral oil
Identifications	
REACH reg. no.	01-2119474889-13-xxxx
CAS No	72623-87-1
EC No	276-738-4
Catalog No.	649-483-00-5
Purity	100 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General comments

Do not leave the victim unattended. Move victim out of harm's way. In the event of unconsciousness, place the victim in a standing side position. Do not administer anything by mouth. Remove contaminated clothing immediately. If in doubt or if symptoms persist, consult a doctor.

If inhaled

Provide fresh air. In case of irregular breathing or respiratory arrest, consult a doctor immediately and administer first aid. In case of irritation to the respiratory tract, consult a doctor.

In case of skin contact

Wash with plenty of soap and water. In case of skin irritation or rash: Get medical advice/attention.

In case of eye contact

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOL

FRAGOL THERM Q-20

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

Rinse with clean, smooth water for at least 15 minutes while keeping the eyelids open. Remove contact lenses, if possible. Keep rinsing. If eye irritation persists: Get medical advice/attention.

If swallowed

Rinse mouth with water (only if the person is conscious). DO NOT induce vomiting. Immediately call an ANTIDOTE TRUM/doctor.

4.2 Main acute and delayed symptoms and effects

So far, no symptoms and effects are known.

4.3 Indication of any immediate medical care and special treatment required

For specialist advice, the doctor should contact the poison control centre. If swallowed or vomiting, risk of penetration into the lungs, then observation for pneumonia and pulmonary edema.

HEADING 5: Fire-fighting measures

5.1 Fire extinguishers

Suitable extinguishing agents

Spray water; Foam; Dry extinguishing powder; Carbon dioxide (CO₂); Tailor firefighting measures to the environment.

Unsuitable extinguishing agents

Full water jet.

5.2 Special hazards caused by the substance or mixture

Hazardous combustion products

Dangerous fumes/smoke can be generated during fire. Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3 Advice for firefighters

In the event of fire and/or explosion, avoid inhaling smoke. Tailor firefighting measures to the environment. Do not allow extinguishing water to flow into sewers or surface water. Collect contaminated firefighting water separately. With normal precautions, extinguish from a reasonable distance.

Specially protected equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for the fire brigade.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For persons other than the emergency services

Bringing people to safety. Ventilate the affected area.

For the emergency services

Wearing respirators when exposed to vapors/dust particles/aerosols/gases. Use the necessary personal protective equipment.

6.2 Environmental Precautions

Avoid spilling the product into drains, surface water or groundwater. Retain and remove contaminated washing water.

6.3 Containment and cleaning methods and material

Advice on how to enclose the spilled product

Covering drainage channels.

Advice on how to clean up the spill

Pick up with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder, sawdust).

Appropriate containment methods

Use of absorbent materials.

Other information relating to the discharge or release of the

Put in suitable packaging for disposal. Ventilate the affected area.

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOLTHERM Q-20

FRAGOL

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

6.4 Reference to other headings

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Chemically interacting materials: see section 10. Disposal instructions: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for the safe handling of the substance or mixture

Recommendations

- measures to prevent fire and aerosol or dust formation
Use of local and general ventilation. Use only in well-ventilated places.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink or smoke in places where work is being done. Remove contaminated clothing and protective equipment before entering areas where food is eaten. Do not store food and drink together with chemicals. Do not use food containers for chemical substances. Keep away from food and drink and animal feed.

7.2 Conditions for safe storage, including incompatible products

Managing the associated risks

- Flammable hazard
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- incompatible substances or mixtures
Keep away from bases, oxidizing substances, acids.

Controlling the consequences

Protect from external exposure, such as

Heat. High temperatures. UV radiation/sunlight. Static discharges.

Consideration of other opinion

Store in a well-ventilated place. Store in tightly closed containers.

- Compatible packaging
Keep only in the original packaging.

7.3 Specific end-use

See section 1.2.

SECTION 8: Exposure control measures/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNEL/DMEL/PNEC and other thresholds

Relevant DNEL and other thresholds				
End point	Threshold	Protection objective, route of exposure	Used in	Duration of exposure
DNEL	2.73 mg/m ³	human, via inhalation	(industrial) employees	chronic - systemic effects
DNEL	5.58 mg/m ³	human, via inhalation	(industrial) employees	chronic - local effects
DNEL	0,97 mg/kg bw/day	human, through the skin	(industrial) employees	chronic - systemic effects
DNEL	0,74 mg/kg	human, oral	consumers (private households)	chronic - systemic effects

FRAGOL THERM Q-20

Version number: 5.0
Replaces the version from: 20.06.2024

Revision: 26.01.2026

Relevant DNEL and other thresholds				
End point	Threshold	Protection objective, route of exposure	Used in	Duration of exposure
	lg/day		(in the same way)	at least

8.2 Exposure control measures

Appropriate technical measures

General ventilation. Provide eyewashes and emergency showers at the workplace.

Individual protective measures (personal protective equipment) Eye/face protection



Wear safety glasses with side protection (EN ISO 16321).

Skin protection



Protective clothing (EN ISO 13688).

Hand protection



Wear suitable gloves. Determine leak tightness/impermeability before use. In case of special applications, it is recommended to check the chemical resistance of the above mentioned safety gloves together with the supplier of the gloves. Gloves against chemicals are tested in accordance with EN 374. The choice of a suitable glove depends not only on the material, but also on other quality characteristics and differs from manufacturer to manufacturer.

- other protective equipment

Insert rest periods for skin regeneration. Preventive skin protection (skin protection creams) is recommended. Wash hands thoroughly after use.

Protection of the respiratory organs

In case of inadequate ventilation, wear suitable respiratory protection. Full/half/quarter mask (EN 136/140). Type: A (against oral gases and vapours with a boiling point > 65 °C, colour code: brown). Respirator only in case of aerosol or mist formation.

Environmental exposure control

Take appropriate measures to prevent uncontrolled spread in the environment. Avoid the product ending up in drainage channels, surface water or groundwater.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	clear
Smell	Characteristic
Melting/freezing point	<-12 °C
Boiling point or initial boiling point and boiling range	350 – 600 °C
Flammability	This material is flammable, but will not easily catch fire
Lower and upper explosion limit	LEL: UEL: not exactly

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOLTHERM Q-20

FRAGOL

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

Flash point	228 °C (open crucible)
Autoignition temperature	not exactly
Decomposition temperature	No data available
pH value	not exactly
Kinematic viscosity	19.9 mm ² /s at 40 °C
Dynamic viscosity	39.4 mPa s at 20 °C

Solubility

Water solubility	Insoluble
------------------	-----------

Partition coefficient n-octanol/water (log value)	>6
---	----

Vapour pressure	<0.1 hPa at 20 °C
-----------------	-------------------

Density and/or relative density

Density	0.82 – 0.84 g/cm ³ at 15 °C (ASTM D 4052)
Relative vapor density	There is no information available for this property

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information on physical hazard classes	hazard classes according to GHS (physical hazards): non-relevant
Other safety features	There is no further information

HEADING 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal environmental conditions.

10.2 Chemical stability

The material is stable under normal atmospheric conditions and expected temperature and pressure during storage and handling.

10.3 Possible Dangerous Reactions

No dangerous reactions known.

10.4 Circumstances to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Materials that interact chemically

Oxidizing agents (oxidizing).

10.6 Hazardous decomposition products

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOL

FRAGOL THERM Q-20

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

Known and reasonably foreseeable dangerous decomposition products, which are produced during use, storage, discharge and heating, are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Cannot be classified as acutely toxic.

Acute toxicity			
Route of exposure	End point	Value	Species
oral	LD50	>5,000 mg/kg	rat
Inhalation: dust/mist	LC50	>5.53 mg/l/4h	rat
dermal	LD50	>5,000 mg/kg	rabbit

Skin corrosion/irritation

Cannot be classified as corrosive/irritating to the skin.

Serious eye damage/eye irritation

Cannot be classified as causing serious eye damage or irritating to the eyes.

Sensitization of the respiratory tract or skin

Cannot be classified as an inhalation or skin allergen.

Mutagenicity in germ cells

Cannot be classified as mutagen in germ cells (mutagenic).

Carcinogenicity

Cannot be classified as carcinogenic.

Reproductive toxicity

Cannot be classified as a toxic substance for reproduction.

Specific target organ toxicity at single exposure

Cannot be classified as toxic to specific target organs (single exposure).

Specific target organ toxicity in repeated exposure

Cannot be classified as toxic to specific target organs (repeated exposure).

Danger by inhalation

Can be fatal if the substance enters the respiratory tract if swallowed.

Other information

Inhalation of vapors or oil mists produced at high temperatures may cause respiratory irritation. Inade-ming high vapor concentrations can cause symptoms such as headache, dizziness, fatigue, nausea, and vomiting.

11.2 Information about other hazards

Endocrine disrupting properties

Does not contain endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

Other information

There is no further information.

SECTION 12: Ecological information

12.1 Toxicity

Cannot be classified as hazardous to the aquatic environment.

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOLTHERM Q-20

FRAGOL

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

Aquatic toxicity (acute)			
End point	Value	Species	Exposure duration
LL50	>100 mg/l	fish	96 h
EL50	>10,000 mg/l	Invertebrate aquatic organisms	24 h

12.2 Persistence and degradability

Not easily biodegradable.

Process of degradability		
Process	Degradation speed	Time
Oxygen depletion	31 %	28 d

12.3 Bioaccumulation

The substance meets the criterion for high bioaccumulation.

n-octanol/water (log KOW)	>6
---------------------------	----

12.4 Mobility in the soil

No data are available.

12.5 Results of PBT and vPvB assessment

The results of the evaluation of the substance show that this substance is not a PBT or vPvB substance.

12.6 Endocrine disrupting properties

Does not contain endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other harmful effects

No data are available.

SECTION 13: Disposal Instructions

13.1 Waste treatment methods

Information on wastewater discharge

Do not throw waste in the sink. Avoid release into the environment.

Container/Packaging Waste Treatment

Contaminated packaging can be treated like the substance itself.

Relevant provisions on waste prevention

List of waste, Decision 2000/532/EC establishing a list of wastes

No waste code number can be assigned to this product according to the European Waste Catalogue, as classification is only possible based on the intended use by the consumer. The waste code number must be assigned according to the European Waste Catalogue (Commission Decisions 200/532/EC and 2001/118/EC) in consultation with the regional waste management company

Notes

Please note the relevant national or regional provisions. Waste is separated into the categories that can be treated separately by the local or national waste management authorities.

SECTION 14: Information relating to transport

14.1 UN number or ID number

not subject to transport regulations

14.2 Correct cargo name in accordance with the

Not relevant

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOLTHERM Q-20

FRAGOL

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

Model UN Regulations

- 14.3 Transport hazard class(es)** none
- 14.4 Packaging group** not awarded
- 14.5 Environmental Hazards** not hazardous to the environment, according to the regulations for transport of dangerous goods
- 14.6 Special precautions for the user**
There is no further information.
- 14.7 Bulk maritime transport in accordance with IMO instruments**
No data available.

Further information for the UN regulations

Transport of dangerous goods by road, rail or inland waterway (ADR/RID/ADN)

- Additional information

Not subject to the ADR, RID and ADN.

International Code for the Carriage of Dangerous Goods by Sea (IMDG) - additional information

Not subject to the IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

HEADING 15: Regulations

15.1 Specific safety, health and environmental regulations and legislation for the substance or mixture

Relevant European Union (EU) Provisions Restrictions

according to REACH, Annex XVII

Name	Name according to inventory	Limitation	No.
lubricating oils (petroleum), C20-50-, with hydrogen treated from neutral oil	This product meets the criteria for classification Regulation No 1272/2008/EC	R3	3

Legend

R3

- The following shall not be used:
 - in decorative objects intended to obtain light or colour effects through different phases, for example in mood lamps and ashtrays,
 - in joke and joke articles,
 - in games for one or more persons or in any object intended to be used as such, even if they function as ornamental objects.
- Articles which do not comply with point 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring matter, unless required for tax reasons, or a fragrance or both, and if they:
 - can be used as fuel in decorative oil lamps intended for the general public, and
 - dangerous by inhalation and are labelled with H304.
- Decorative oil lamps intended for the general public may only be placed on the market if they comply with the European standard for decorative oil lamps (EN 14059) adopted by the European Committee for Standardization (CEN).
- Without prejudice to the application of other Union provisions on classification, labelling and packaging of substances and mixtures, suppliers must ensure that the products comply with the following requirements before they are placed on the market:
 - lamp oils labelled with H304 and intended for the general public shall bear the following statements, visibly, legibly and indelibly: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 at the latest, "A small sip of lamp oil — or just sucking on the wick of lamps — can result in life-threatening lung damage";
 - firelighters for barbecues labelled with H304 and intended for the general public must bear the following statement legibly and indelibly by 1 December 2010 at the latest: "A small sip of lighter fluid can cause life-threatening lung damage";
 - Lamp oils and lighter liquids for barbecues labelled with H304 and intended for the general public shall be packaged in black opaque containers of up to 1 litre by 1 December 2010 at the latest.

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOL THERM Q-20

FRAGOL

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)			
No.	Hazardous substance/hazard categories	Threshold values (tonnes) for the application of regulations for low-threshold and high-threshold devices	Nuts
	not awarded		

Regulation on the establishment of a European Pollutant Release and Transfer Register (PRTR)

Not listed.

Water Framework Directive (WFD)

Not listed.

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

Not listed.

Persistent Organic Pollutants (POP) Regulation

Not listed.

National regulations (Netherlands)

SZW list CMR effects

Not listed.

List of Substances of Very High Concern, National Institute for Public Health and the Environment (RIVM)

List of Substances of Very High Concern (SVHC)				
Name according to inventory	CAS No	Dust class for air emissions	Notes	Emission limit value
Lubricating oils (petroleum), C20-50, obtained from neutral oil treated with water	72623-87-1		REM-153 REM-121	

Legend

- REM-121 The substance does not need to be classified as carcinogenic according to CLP if it can be shown that it contains less than 3 % Dm-so-extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. However, the substance can still be an SVHC. Other components in it can, for example, be harmful to reproduction or be PBT (Persistent, Bioac-cumulative and Toxic). To conclude that the substance is not SVHC, it must be clear that it does not contain any of these components.
- REM-153 Most petroleum and coal derivatives are not listed as SVHCs in Annex III of the BAL. Only if these products contain less than 0.1% of SVHC components, dust class gO.2 can be used. If more than 0.1% SVHC components are present, the product should be considered as SVHC. In the presence of volatile SVHC components, we recommend using the MVP 2 dust class; in the presence of non-volatile SVHC components, we recommend using the MVP 1 dust class. For more detailed criteria for substances and mixtures with an SVHC component, see: rvs.rivm.nl/stoffenlijsten/Zeer-Zorg-wekkende-Stoffen/ZZS-in-mengels. Advice for the authorisation of mixtures and substances containing SVHC components can be found on the IPLO website: <https://iplo.nl/thema/zeer-zorgwekkende-stoffen-zzs/mengsels-zzs/>

15.2 Chemical safety assessment

No chemical safety assessment has been carried out by the supplier for this substance.

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOLTHERM Q-20

FRAGOL

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

SECTION 16: Other information

Notification of changes (revised safety data sheet)

Rubric	Previous Mention (Text/Value)	Current listing (text/value)
4.3	Indication of any immediate medical care and special treatment required: Treat symptomatically. For specialist advice, the doctor should contact the poison control centre. In case of swallowing or vomiting, danger of penetration into the lungs, then observation for pneumonia and pulmonary edema.	Indication of any immediate medical care and special treatment required: For specialist advice, the doctor should contact the poison control centre. In case of ingestion or vomiting, risk of penetration into the lungs, then observation for pneumonia and pulmonary edema.
6.3	Advice on how to clean up the spilled product: Absorb with liquid-binding material (sand, mountain flour, pebble gus, acid binder, universal binder, sawdust).	Advice on how to clean up the spilled product: Pick up with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder, sawdust).
7.3	Specific end-use: There is no further information.	Specific end-use: See section 1.2.
8.2	Eye protection: eye protection must be worn Wear safety glasses with side protection (EN 166).	Eye protection: eye protection must be worn Wear safety glasses with side protection (EN ISO 16321).
8.2	Skin protection: wear protective clothing Protective clothing (EN 340 & EN ISO 13688).	Skin protection: wear protective clothing Protective clothing (EN ISO 13688).
13.1	List of wastes, Decision 2000/532/EC establishing a list of wastes: No waste code number can be specified for this product according to the European Waste Catalogue (EWC), because only the consumer's intended use allows for allocation. The waste code number must be established in accordance with the European waste catalogue (Commission Decisions 200/532/EC and 2001/11/EC) in consultation with the disposer/manufacturer/authority	List of wastes, Decision 2000/532/EC establishing a list of wastes: No waste code number can be assigned to this product according to the European Waste Catalogue, as classification is only possible based on the intended use by the consumer. The waste code number must be assigned according to the European Waste Catalogue (Commission Decisions 200/532/EC and 2001/118/EC) in consultation with the regional waste management company

Abbreviations and acronyms

Afk.	Descriptions of the abbreviations used
ADN	Accord européen relatif au transport internationale des marchandises Dangereuses par voies de navigation Intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport internationale des marchandises Dangereuses par route (Agreement concerning the international carriage of dangerous goods by road)
CAS	Chemical Abstracts Service (database for chemical substances and their unique number, the CAS registration number)
catalogue no.	The catalogue number shall be the identifier used in Part 3 of Annex VI to Regulation (EC) No 1272/2008
CLP	Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures
CMR	Carcinogenic, mutagenic or toxic to reproduction
DGR	Dangerous Goods Regulations, see IATA/DGR
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC register (EINECS, ELINCS and the NLP register) is the source for the seven-digit EC number as a key figure for substances (European Union)

Safety Data Sheet

in accordance with Regulation (EC) No 1907/2006

(REACH) as amended by 2020/878/EU

FRAGOL

FRAGOL THERM Q-20

Version number: 5.0

Replaces the version from: 20.06.2024

Revision: 26.01.2026

Afk.	Descriptions of the abbreviations used
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading required to obtain a response in 50 % of the test organisms
ELINCS	European List of Notified Chemical Substances
GHS	'Globally harmonised system of classification and labelling of chemicals' developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for aviation (IATA)
ICAO	International Civil Aviation Organization (Internationale Organisatie voor Burgerluchtvaart)
IMDG	International Code for the Carriage of Dangerous Goods by Sea (IMDG Code)
LC50	Lethal concentration 50 %: is the concentration value in air of the material at which 50 % of the test objects die during a given time interval
LD50	Lethal dose 50 %: the LD50 corresponds to the dose of a tested substance at which 50 % of the test objects die during a specified time interval
LEL	Lower Explosion Limit (LEL)
LL50	Lethal Loading 50%: the LL50 corresponds to the loading that causes 50% mortality
NLP	No-Longer Polymer
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted concentration with no effect
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the international transport of dangerous goods by rail)
SVHC	Substance of Very High Concern
UEL	Upper Explosion Limit (UEL)
vPvB	Very persistent and very bioaccumulative

Key literature references and data sources

Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of substances and mixtures. Regulation (EC) No 1907/2006 (REACH), as amended by 2020/878/EU.

Transport of dangerous goods by road, rail or inland waterway (ADR/RID/ADN). International Code for the Carriage of Dangerous Goods by Sea (IMDG). Dangerous Goods Regulations (DGR) for aviation (IATA).

List of relevant sentences (code and text in full as mentioned in sections 2 and 3)

Code	Text
H304	Can be fatal if the substance enters the respiratory tract if swallowed.

Disclaimer

This information is based on the current state of our knowledge. This SDS has been compiled and is intended exclusively for this product. FRAGOL cannot anticipate all the circumstances under which this information and the product, or the products of other manufacturers in combination with the FRAGOL product, will be used. It is the user's responsibility to use, store and dispose of the product safely. The user is also responsible for loss, injury, damage or expenses as a result of improper use. The information on this sheet is written on the basis of the best knowledge and experience available at the moment.