

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Therminol® 55 Heat Transfer Fluid

Product code : 34126-00, P3412600, P3412601, P3412603, P3412604, P3412602, P3412605, E3412601, P3412607

REACH Registration Number : 01-2119485843-26-0005

Substance name : Benzene, mono-C10-13-alkyl derivs., distn. residues

CAS-No. : 84961-70-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Heat transfer fluids

Recommended restrictions on use : None known.

1.3 Details of the supplier of the safety data sheet

Company : Eastman Chemical Company
200 South Wilcox Drive
37660-5147 Kingsport

Telephone : +14232292000

E-mail address of person responsible for the SDS : Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

1.4 Emergency telephone number

NCEC +44 (0)1235 239 670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET


according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version 1.6 Revision Date: 26.02.2024 SDS Number: 150000093433 Date of last issue: 20.02.2024
Date of first issue: 06.05.2015

Hazard pictograms : 

Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

Precautionary statements : **Response:**
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : Benzene, mono-C10-13-alkyl derivs., distn. residues

CAS-No. : 84961-70-6

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
Benzene, mono-C10-13-alkyl derivs., distn. residues	84961-70-6 284-660-7	>= 90 - <= 100	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Eastman is committed to the safety, health and environment of our employees, our customers, and the communities we operate within. As part of this commitment, Eastman's Safety Data Sheets (SDS) are prepared in accordance with all applicable national and local regulations. The compositions of our documents reflect these requirements which include, but are not limited to, requirements under the Globally Harmonized System of Classification and Labeling (GHS). These compositions commonly involve the use of ranges versus specific analytical values. If you require a composition that is more specific, please refer to the Certificate of Analysis, sales specification, or contact your Customer Service Representative.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : Remove person to fresh air and keep comfortable for breathing.
If breathing is difficult, give oxygen.
Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and plenty of water.
If skin irritation occurs: Get medical advice/ attention.
Wash contaminated clothing before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
Get medical attention if symptoms occur.
- If swallowed : Call a physician or poison control center immediately.
Do NOT induce vomiting.
Rinse mouth.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration hazard
Causes mild skin irritation.
The molten product can cause serious burns.
- Risks : May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
Do NOT induce vomiting.
Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
Dry chemical
Foam

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Hazardous decomposition products due to incomplete combustion
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Further information : Use a water spray to cool fully closed containers.
Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ventilate the area.
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Avoid contact with skin and eyes.
Material can create slippery conditions.
Wear appropriate personal protective equipment.
Local authorities should be advised if significant spillages cannot be contained.

6.2 Environmental precautions

Environmental precautions : Clear up spills immediately and dispose of waste safely.
Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapors or spray mist.
Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version 1.6 Revision Date: 26.02.2024 SDS Number: 150000093433 Date of last issue: 20.02.2024
Date of first issue: 06.05.2015

In case of insufficient ventilation, wear suitable respiratory equipment.
Keep away from flames and sparks.
Wear appropriate personal protective equipment.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.
Wash contaminated clothing before reuse.
Drain or remove substance from equipment prior to break-in or maintenance.
Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Keep in a cool place away from oxidizing agents.

7.3 Specific end use(s)

Specific use(s) : www.therminol.com/products/

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzene, mono-C10-13-alkyl derivs., distn. residues	Workers	Dermal	Long-term systemic effects	4,3 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	3,2 mg/m3
	General Population	Oral	Long-term systemic effects	0,23 mg/kg bw/day
	General Population	Dermal	Long-term systemic effects	2,2 mg/kg bw/day
	General Population	Inhalation	Long-term systemic effects	1,6 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzene, mono-C10-13-alkyl derivs., distn. residues	Fresh water	0,00075 mg/l
	Marine water	0,000075 mg/l
	Aqua Intermittent	0,001 mg/l
	Fresh water sediment	1,65 mg/kg dry weight (d.w.)
	Marine sediment	0,165 mg/kg dry weight (d.w.)
	Soil	0,329 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

	Sewage treatment plant	2 mg/l
--	------------------------	--------

8.2 Exposure controls

Engineering measures

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields (or goggles).

Hand protection

Remarks : Wear suitable gloves. When handling hot material, use heat resistant gloves.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.
Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : not determined

Melting point/range : -54 °C

Boiling point/boiling range : 351 °C (1.013 hPa)

Flammability : Not applicable

Upper explosion limit / Upper flammability limit : not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	166 °C Method: Pensky-Martens closed cup
Auto-ignition temperature	:	not determined
Decomposition temperature	:	not determined
pH	:	not determined
Viscosity		
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	19 mm ² /s (40 °C) 3,5 mm ² /s (100 °C)
Solubility(ies)		
Water solubility	:	0,001 g/l (25 °C)
Partition coefficient: n-octanol/water	:	log Pow: 6,6
Vapour pressure	:	0,0228 kPa (93 °C)
Relative density	:	0,876 (15 °C)
Density	:	868 kg/m ³ (25 °C)
Relative vapour density	:	not determined

9.2 Other information

Explosives	:	No data available
Oxidizing properties	:	No data available
Self-ignition	:	343 °C Method: ASTM E659
Evaporation rate	:	not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Heating in air.
Keep away from flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Emits acrid smoke and fumes when heated to decomposition.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 401
Assessment: Not classified

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 3.600 mg/kg
Method: OECD Test Guideline 402
Assessment: Not classified
Remarks: (highest dose tested)

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : No data available

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Species	:	Rabbit
Assessment	:	Not classified
Method	:	Acute Eye Irritation / Corrosion
Result	:	slight irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : No data available

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Test Type	:	Skin Sensitization
Species	:	Guinea pig
Assessment	:	Not classified
Method	:	OECD 406: Guinea pig sensitization
Result	:	non-sensitizing

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Genotoxicity in vitro : Test Type: Salmonella typhimurium assay (Ames test)
Metabolic activation: +/- activation
Method: Bacterial Reverse Mutation Assay
Result: negative

Test Type: Mutagenicity - Mammalian
Metabolic activation: +/- activation
Method: In vitro Mammalian Chromosome Aberration Test
Result: negative

Test Type: Mutagenicity - Mammalian
Metabolic activation: +/- activation
Method: In vitro Mammalian Cell Gene Mutation Test
Result: negative

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: No data available

STOT - single exposure

Not classified based on available information.

Product:

Remarks : No data available

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Exposure routes : Inhalation
Assessment : Not classified

STOT - repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Exposure routes : Oral
Assessment : Not classified

Repeated dose toxicity

Product:

Remarks : No data available

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Species : Rat, male and female
NOAEL : 500 mg/l
Application Route : by gavage
Method : OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test

Species : Rat, male and female
: 45 mg/l
Application Route : in feed
Exposure time : 90 days
Method : OECD Test Guideline 408

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

No data available

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Experience with human exposure

Product:

Inhalation : Remarks: None known.

Skin contact : Remarks: None known.

Eye contact : Remarks: None known.

Ingestion : Remarks: May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : None known.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 600 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 1.000 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC:
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0075 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Read-across from a similar material

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Method: EL50 method of the water accommodated fraction (W.A.F.)
Remarks: (nominal concentration)

NOEC: (Danio rerio (zebra fish)): > 10 µg/l
Exposure time: 14 d
Remarks: (saturated concentration; limited solubility)

SAFETY DATA SHEET

EASTMAN

according to Regulation (EC) No. 1907/2006

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,1 mg/l
Exposure time: 48 h
Test Type: Immobilization
Remarks: (saturated concentration; limited solubility)

NOEC: : > 0,1 mg/l

Toxicity to algae/aquatic plants : ErC50 : > 2,08 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Remarks: (limit of solubility in fresh water)

NOEC : > 2,08 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50: 0,012 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,0075 mg/l

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

BOD/COD : Remarks: No data available

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 28 %
Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Bioconcentration factor (BCF): 3,16

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Bioaccumulation : Bioconcentration factor (BCF): 3,12

Partition coefficient: n-octanol/water : log Pow: 6,6

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

12.4 Mobility in soil

Components:

Benzene, mono-C10-13-alkyl derivs., distn. residues:

Distribution among environmental compartments : log Koc: 6,3 - 8,4

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

of dangerous chemicals

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TECI : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -

SAFETY DATA SHEET

EASTMAN

according to Regulation (EC) No. 1907/2006

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : www.therminol.com/products/
compile the Safety Data Sheet

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZW / EN

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

EASTMAN

Therminol® 55 Heat Transfer Fluid

PRD / SDSEU / EN / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2024
1.6	26.02.2024	150000093433	Date of first issue: 06.05.2015

Annex: Exposure Scenarios

Table of Contents

Number	Title
--------	-------